# NSN 5320-01-038-5437

Tubular Rivet - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5320-01-038-5437

# Fastener Length:

0.875 inches

## Head Style:

Oval/truss

## **Head Height:**

Between 0.055 inches and 0.065 inches

# Hole Diameter:

Between 0.134 inches and 0.141 inches

#### Shank Diameter:

Between 0.182 inches and 0.188 inches

#### Shank Style:

Tubular

Head Major Diameter:

Between 0.306 inches and 0.318 inches

Hole Depth:

0.155 inches

Shear Strength:

32000 single pounds per square inch

## Material:

Steel comp 1020 or steel comp 1022 or steel comp 1005 or steel comp 1006 or steel comp 1008 or steel comp 1010 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1018 or steel comp 1009 or steel comp 1011 or steel comp 1017 or steel comp 1019

## Surface Treatment:

Cadmium

## Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification single treatment response

## **Specification Or Standard:**

12 type and 3 class and e grade

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A040a0