## NSN 5320-01-115-0785

Tubular Rivet - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5320-01-115-0785 Fastener Length: 0.531 inches **Head Style:** Countersunk w/ reverse chamfer **Head Height:** Between 0.030 inches and 0.038 inches **Hole Diameter:** Between 0.084 inches and 0.090 inches **Shank Diameter:** Between 0.118 inches and 0.123 inches **Shank Style:** Tubular **Head Major Diameter:** Between 0.245 inches and 0.255 inches **Hole Depth:** 0.094 inches **Shear Strength:** 35000 single pounds per square inch **Countersink Angle:** Between 148.0 degrees and 150.0 degrees **Special Features:** Color black **Heat Treatment:** Quarter hard Material: Copper alloy 260 or copper alloy 270 **Material Specification:** Qq-w-321 federal specification all material responses **Surface Treatment:** Oxide **Surface Treatment Specification:** Mil-f-495 military specification single treatment response **Specification Or Standard:** 12 type and 3 class and f grade Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

Fiig:

A040a0

## NSN 5320-01-115-0785

Tubular Rivet - Page 2 of 2



Mil-std (military Standard):

Mil-f-495 spec.