

View Online at <https://aerobasegroup.com/nsn/5320-01-352-2092>

Head Style:

Flush (flat) countersunk (included angle - less than 135 degrees w or w/o chamfer)

Shank Diameter:

Between 0.2020 inches and 0.2025 inches

Shank Style:

Threaded self-plugging shank w/sleeve

Head Major Diameter:

0.375 inches

Expansion Device:

Threaded stem

Lubrication:

Dry film or cetyl alcohol or paraffin wax

Grip Length:

0.595 inches

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Special Features:

Powder blast top surface of head, remainder of body optional

Material:

Titanium alloy uns r56400 nutsteel comp 303se sleeve or steel comp 304 sleeve titanium alloy uns r56400 stem

Material Specification:

Ams 4928 assn standard 1st material response nut or ams 4967 assn standard 2nd material response nut qq-s-763 federal specification 1st material response sleeve or ams 5639 assn standard 2nd material response sleeve or ams 5641 assn standard 3rd material response sleeve ams 4928 assn standard 1st material response stem or ams 4967 assn standard 2nd material response stem

Surface Treatment:

Passivate sleeve

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response sleeve

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A040a0