

View Online at <https://aerobasegroup.com/nsn/5320-01-412-6844>

**Fastener Length:**

Between 0.745 inches and 0.755 inches

**Head Style:**

Countersunk w/ reverse chamfer

**Head Height:**

Between 0.041 inches and 0.051 inches

**Hole Diameter:**

Between 0.133 inches and 0.139 inches

**Shank Diameter:**

Between 0.182 inches and 0.188 inches

**Shank Style:**

Tubular

**Head Major Diameter:**

Between 0.351 inches and 0.367 inches

**Hole Depth:**

0.155 inches

**Shear Strength:**

32000 double pounds per square inch

**Countersink Angle:**

Between 148.0 degrees and 150.0 degrees

**Material:**

Steel comp 1005 or steel comp 1006 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022

**Material Specification:**

66 federal standard all material responses

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A040a0