NSN 5320-01-551-7123

Pin-rivet - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5320-01-551-7123

Thread Class: 3a **Thread Direction: Right-hand** Fastener Length: 0.875 inches **Head Style:** Flush countersunk **Head Height:** Between 0.010 inches and 0.015 inches Width Between Flats: Between 0.160 inches and 0.180 inches Shank Diameter: Between 0.3115 inches and 0.3120 inches Shank Style: Pin-rivet, straight, threaded Head Major Diameter: Between 0.557 inches and 0.562 inches Lubrication: Cetyl alcohol **End Application:** C-17a aircraft Grip Length: 1.313 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 160000 pounds per square inch **Thread Size:** 0.3125 inches **Countersink Angle:** 100.0 degrees **Product Name:** Pin-rivet Material: Titanium alloy uns r56400 **Material Specification:** Ams4967 assn standard single material response Surface Treatment: Aluminum **Surface Treatment Specification:**

Per hi-shear specification 294 mfr ref single treatment response

NSN 5320-01-551-7123

Pin-rivet - Page 2 of 2

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A528u0

