

View Online at <https://aerobasegroup.com/nsn/5320-01-579-8694>

Thread Class:

3a

Thread Direction:

Right-hand

Head Style:

Straight pan

Head Height:

Between 0.102 inches and 0.112 inches

Hole Diameter:

Between 0.160 inches and 0.180 inches

Shank Diameter:

Between 0.342 inches and 0.343 inches

Shank Style:

Pin-riquet, straight, threaded

Head Major Diameter:

Between 0.490 inches and 0.520 inches

Chamfer Length:

0.046 inches

Hole Depth:

Between 0.150 inches and 0.170 inches

Grip Length:

Between 0.490 inches and 0.510 inches

Thread Qty Per Inch (tpi):

24

Min. Tensile Strength (psi):

95000 pounds per square inch

Thread Size:

0.312 inches

Product Name:

Protruding tension head alloy steel 1/16 inch grip variation, 1/32 inch oversize

Special Features:

Socket-hex: 0.1270 inch , 0.1295 inch ; double shear pounds : 17600; cadmium plate per ams-qq-p-416, type ii, class 2, and cetyl alcohol tube per hi-sheer spec. 305

Surface Treatment:

Cadmium

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A528u0