NSN 5320-01-588-7021

Threaded Pin-rivet - Page 1 of 2

Thread Class:

За



View Online at https://aerobasegroup.com/nsn/5320-01-588-7021

Thread Direction:
Right-hand
Fastener Length:
1.637 inches
Head Style:
Crown countersunk less than 135 degrees
Head Height:
Between 0.0667 inches and 0.0688 inches
Width Between Flats:
Between 0.0791 inches and 0.0806 inches
Shank Diameter:
Between 0.1890 inches and 0.1895 inches
Shank Style:
Pin-rivet, straight, threaded
Head Major Diameter:
Between 0.334 inches and 0.347 inches
Lubrication:
Cetyl alcohol
End Application:
C-17a
Grip Length:
1.312 inches
Thready Qty Per Inch (tpi):
32
Thread Size:
0.1900 inches
Countersink Angle:
100.0 degrees
Product Name:
Pin-rivet, threaded, 100 degrees fl crown rivet hd
Material:
Titanium alloy uns r56400
Material Specification:
Ams4967 federal standard single material response or ams4928 federal standard single material response
Surface Treatment:
Aluminum or chromate
Surface Treatment Specification:
Dps 4.50-197 (hi-kote 1 only) mfr ref single treatment response
Thread Series Designator:
Unif

NSN 5320-01-588-7021

Threaded Pin-rivet - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No