## NSN 5320-01-613-1751

Pin-rivet - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5320-01-613-1751 **Thread Class:** За **Thread Direction:** Right-hand Fastener Length: 0.387 inches **Head Style:** Flush countersunk Width Between Flats: Between 0.0791 inches and 0.0806 inches **Shank Diameter:** 0.212 inches **Shank Style:** Pin-rivet, straight, threaded **Head Major Diameter:** Between 0.3253 inches and 0.3303 inches **Chamfer Length:** Between 0.0450 inches and 0.0470 inches Lubrication: Cetyl alcohol **End Application:** C-17 aircraft **Grip Length:** 0.062 inches Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches **Countersink Angle:** 100.0 degrees **Product Name:** Pin-rivet **Special Features:** Slight crown on head 0.010 min 0.015 maximum height; heat treat 95 ksi fsu min 160-180 ksi ftu per sae-ams-mil-h-81200 **Heat Treatment:** Annealed Material: Titanium alloy **Material Specification:** 

Ams4967 federal standard single material response or ams4928 federal standard single material response

Thread Series Designator:

Unjf

## NSN 5320-01-613-1751

Pin-rivet - Page 2 of 2



_						
C	he	14		iŧ	0	•
J			_		ㄷ	-

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A528u0