NSN 5320-01-613-7621

Pin-rivet - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5320-01-613-7621

Thread Class:
3a
Thread Direction:
Right-hand
Fastener Length:
1.688 inches
Head Style:
Crown countersunk less than 135 degrees
Head Height:
Between 0.0896 inches and 0.0917 inches
Width Between Flats:
Between 0.1270 inches and 0.1295 inches
Shank Diameter:
Between 0.3427 inches and 0.3432 inches
Shank Style:
Pin-rivet, straight, threaded
Head Major Diameter:
Between 0.542 inches and 0.555 inches
Lubrication:
Cetyl alcohol
End Application:
C-17 aircraft
Grip Length:
1.188 inches
Thready Qty Per Inch (tpi):
24
Thread Size:
0.3125 inches
Countersink Angle:
100.0 degrees
Product Name:
Pin-rivet, threaded, 100 degrees fl crown rivet hd
Material:
Titanium alloy uns r56400
Material Specification:
Ams4967 federal standard single material response or ams4928 federal standard single material response
Surface Treatment:
Aluminum and chromate
Surface Treatment Specification:
Dps 4.50-197 (hi-kote 1 only) mfr ref single treatment response
Thread Series Designator:
Unif

Unjf

NSN 5320-01-613-7621

Pin-rivet - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A528u0