

View Online at <https://aerobasegroup.com/nsn/5320-01-622-7657>

**Head Style:**

Universal

**Head Height:**

Between 0.054 inches and 0.064 inches

**Shank Diameter:**

Between 0.125 inches and 0.129 inches

**Shank Style:**

Self-plugging mechanically locked stem

**Head Major Diameter:**

Between 0.238 inches and 0.262 inches

**Grip Length:**

Between 0.194 inches and 0.224 inches

**Features Provided:**

Self-locking

**Product Name:**

Rivet, blind, protruding head, mechanically locked spindle, bulbed style a, class 1, code b and e

**Material:**

Steel comp 632 or iron alloy 660 stem

**Material Specification:**

Ams5737 national std/spec 1st material response or astm a493 assn standard 2nd material response or astm a493 assn standard 3rd material response or astm a493 assn standard 4th material response or astm a493 assn standard 5th material response or astm a493 assn standard 6th material response or astm a493 assn standard 7th material response or astm a493 assn standard 8th material response or astm a493 assn standard 9th material response grip

**Surface Treatment:**

Passivate stem

**Surface Treatment Specification:**

Mil-dtl-5541, ty i, cl 1a military specification single treatment response sleeve

**Specification Data:**

80205-nas9301 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A040a0

**Mil-std (military Standard):**

Mil-dtl-5541 spec.