

View Online at <https://aerobasegroup.com/nsn/5320-01-628-4109>

**Fastener Length:**

Between 0.678 inches and 0.698 inches

**Head Style:**

Flush (flat) countersunk (included angle - less than 135 degrees w or w/o chamfer)

**Head Height:**

0.070 inches

**Shank Diameter:**

Between 0.186 inches and 0.190 inches

**Shank Style:**

Straight w/radius chamfered tip

**Head Major Diameter:**

Between 0.349 inches and 0.357 inches

**End Application:**

4910-01-539-6129

**Countersink Angle:**

Between 99.5 degrees and 100.5 degrees

**Product Name:**

Rivet, solid, countersunk 100deg, precision head, aluminum and titanium columbian alloy

**Special Features:**

Material identification mark on head of rivet is a circular shape that is 0.030 inches diameter

**Heat Treatment:**

T-4 solution heat treated

**Material:**

Aluminum alloy 2117

**Material Specification:**

Qq-a-430 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type ii, class 1, clear military specification single treatment response

**Specification Data:**

80205-nas-20426 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A040a0

**Mil-std (military Standard):**

Mil-a-8625 spec.