

View Online at <https://aerobasegroup.com/nsn/5325-00-252-6865>

Cross Sectional Shape:

Rectangular

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 5.430 inches and 5.480 inches

Major Thickness:

Between 0.106 inches and 0.112 inches

Ring Style:

Internal

End Application:

W/s: fms-knox class ff; lighter amphibious sp, 60-ton, larc-lx; shipboard material handling equipment (mhe); capstans; mars class t-afs 1; oliver perry class ffg; forrestal class cv; supply class aoe; tarawa class lha

Usage Design:

Internal

Material Hardness Rating:

Between 45.0 rockwell c and 52.0 rockwell c

Material:

Steel, fed standard 66 aisi 1066 or 1069 or 1070 or 1072 or 1074 or 1075 or 1078 or 1080 ro 1084 or 1086 or 1090

Material:

Steel, fed standard 66 aisi 1066 or 1069 or 1070 or 1072 or 1074 or 1075 or 1078 or 1080 ro 1084 or 1086 or 1090

Surface Treatment:

Cadmium and chromate

Surface Treatment:

Cadmium, qq-p-416, type 2, class 3

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-g