NSN 5325-00-424-3723

Turnlock Fastener Receptacle - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-00-424-3723

Center To Center Distance Between Mounting Holes: Between 0.998 inches and 1.002 inches Mounting Style: Plain w/mounting hole Turnlock Receptacle Style: Receptacle ReceptacleIength: 1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A05400	
Mounting Style: Plain w/mounting hole Turnlock Receptacle Style: Receptacle Receptaclelength: 1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Center To Center Distance Between Mounting Holes:
Plain w/mounting hole Turnlock Receptacle Style: Receptacle Receptaclelength: 1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Between 0.998 inches and 1.002 inches
Turnlock Receptacle Style: Receptacle Receptaclelength: 1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Mounting Style:
Receptacle ReceptacleIngth: 1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Plain w/mounting hole
Receptaclelength: 1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Turnlock Receptacle Style:
1.295 inches Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Receptacle
Receptacle Height: 0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Receptaclelength:
0.834 inches Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1.295 inches
Receptacle Width: 0.600 inches Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Receptacle Height:
Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.834 inches
Receptacle Thread Size And Series/type Designator: 0.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Receptacle Width:
O.250-28 unjf Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.600 inches
Turnlock Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Receptacle Thread Size And Series/type Designator:
Between 0.130 inches and 0.135 inches Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.250-28 unjf
Special Features: Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Turnlock Mounting Hole Diameter:
Stud protrudes 0.125 in. Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Between 0.130 inches and 0.135 inches
Material: Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Special Features:
Steel comp 8740 stud Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Stud protrudes 0.125 in.
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material:
Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Steel comp 8740 stud
Surface Treatment Specification: Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Surface Treatment:
Qq-p-416, type 2 class 2 federal specification all treatment responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Cadmium and chromate
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Surface Treatment Specification:
N/a Unit Of Measure: Demilitarization: No Fiig:	Qq-p-416, type 2 class 2 federal specification all treatment responses
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A05400	Fiig:
	A05400