NSN 5325-00-584-9755

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-00-584-9755

Double oval Inside Diameter: Between 2.163 inches and 2.188 inches Caseshardened Outside Diameter: Not casehardened Outside Diameter: Between 0.075 inches and 2.470 inches Major Thickness: Between 0.075 inches and 0.081 inches Major Thickness: Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel or steel or	The state of the s
Inside Diameter: Between 2.163 inches and 2.188 inches Casehardening Indicator: Not casehardening Indicator: Not casehardening Indicator: Not casehardened Outside Diameter: Between 2.445 inches and 2.470 inches Major Thickness: Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1070 or steel standard 66, comp 1070 or steel or publications Steel comp 1090 or steel comp 1080 or steel comp 1074 or steel comp 1075 or steel comp 1080 or	Cross Sectional Shape:
Between 2.163 inches and 2.188 inches Casehardening Indicator: Not casehardening Indicator: Not casehardening Indicator: Detween 2.445 inches and 2.470 inches Major Thickness: Between 0.075 inches and 0.81 inches Major Thickness: Between 0.075 inches and 0.81 inches Ring Style: Spiral Usage Design: External Strength Rating: 21 100.00 pounds per square inch tensile Material: Steed, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 Material: Steed comp 1090 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material: Fed standard 66, comp 1086 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1070 or steel comp 1086 or steel	Double oval
Casehardening Indicator: Not casehardened Outside Diameter: Between 2.445 inches and 2.470 inches Major Thicknoss: Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 21100.00 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 material: Steel comp 1070 or steel comp 1072 or steel comp 1075 or steel federal standard 66, comp 1076 or steel standard 66, comp 1080 or steel, federal standard 66, comp 1090 material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1080 or steel comp 1070 or steel comp 1080 or st	Inside Diameter:
Not casehardened Outside Diameter: Between 2.445 inches and 2.470 inches Major Thickness: Between 0.75 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1070 or steel ocomp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1078 or steel comp 1070 or steel comp 1070 or steel comp 1086 or steel comp 1086 or steel comp 1086 or steel comp 1086 or steel comp 1070 or steel comp 1086 or steel comp 1070 or steel comp 1086 or steel comp 1074 or steel comp 1085 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1086 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1086 or steel comp 1076 or steel comp 1086 or steel comp 1076 or steel comp 1077 or steel comp 1076 or steel comp 1078 or steel comp	Between 2.163 inches and 2.188 inches
Between 2.445 inches and 2.470 inches Major Thickness: Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 21100.00 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 or steel ocomp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1080 or steel comp 1070 or steel comp 1080 or steel comp 1070 or steel comp 1080 or steel standard 66, comp 1070 lederal standard 66, comp 1080 federal standard 68 or steel standard 68	Casehardening Indicator:
Between 0.075 inches and 0.081 inches Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 Material: Steel comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1080 or steel comp 1080 or steel comp 1085 or steel comp 1085 or steel comp 1086 or steel comp 1080 or steel comp 1086 or steel comp 1086 or steel comp 1080 or steel comp 1086	Not casehardened
Major Thickness: Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 21100.00 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1080 or steel comp 1076 federal standard 66, comp 1072 federal standard 66, comp 1075 federal standard 66, comp 1080 or steel c	Outside Diameter:
Between 0.075 inches and 0.081 inches Ring Style: Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel standard 66, comp 1070 or steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1075 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 2nd material response and federal standard 66, comp 1078 federal standard 3rd material response and federal standard 66, comp 1080 federal standard 66, comp 1084 federal standard 7th material response and federal standard 66, comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response	Between 2.445 inches and 2.470 inches
Ring Style: Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1070 or steel comp 1085 or steel comp 1076 or steel comp 1085 or steel comp 1076 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1080 federal standard 66, comp 1078 federal standard 5rd material response and federal standard 66, comp 1080 federal standard 66, comp 1080 federal standard 8th material response and federal standard 66, comp 1080 federal standard 8th material response and federal standard 66, comp 1080 federal standard 8th material response and federal standard 66, comp 1090 federal standard 10th material response No Pilig: Demilitarization: No Pilig:	Major Thickness:
Spiral Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1080 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 66, comp 1080 federal standard 66, comp 1081 federal standard 66, comp 1080 federal standard 67, comp 1080 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: No Demilitarization: No Fiig:	Between 0.075 inches and 0.081 inches
Usage Design: External Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1078 federal standard 66, comp 1074 federal standard 66, comp 1074 federal standard 66, comp 1074 federal standard 66, comp 1080 federal standard 67 th material response and federal standard 68, comp 1080 federal standard 68 th material response and federal standard 67 th material response and federal standard 68 standard 69, comp 1095 federal standard 88 th material response and federal standard 66, comp 1086 federal standard 98 th material response and federal standard 66, comp 1086 federal standard 98 th material response and federal standard 66, comp 1086 federal standard 98 th material response and federal standard 66, comp 1086 federal standard 98 th material response and federal standard 68, comp 1086 federal standard 98 th material response and federal standard 66, comp 1086 federal standard 98 th material response and federal standard 66, comp 1090 federal standard 10th material response	Ring Style:
Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1070 or steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1080 federal standard 66, comp 1078 federal standard 66, comp 1080 federal standard 8th material response and federal standard 66, comp 1080 federal standard 8th material response and federal standard 66, comp 1085 federal standard 8th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 8th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 9th material response and federal standard 66, comp 1096 federal standard 9th material resp	Spiral
Strength Rating: 211000.0 pounds per square inch tensile Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1076 federal standard 66, comp 1078 federal standard 66, comp 1080 federal standard 66, comp 1076 federal standard 66, comp 1076 federal standard 67, comp 1080 federal standard 68, comp 1080 federal standard 68, comp 1080 federal standard 68, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Usage Design:
Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material: Steel comp 1070 or steel comp 1086 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1080 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1075 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 6t	External
Material: Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1076 federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 66 federal standard 66, comp 1080 federal standard 66 federal standard 8th material response and federal standard 66, comp 1081 federal standard 9th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66, comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1080 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Strength Rating:
Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1086 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 6th material response and federal standard 8th material response and federal standard 9th material response and federal standard 8th material response and federal standard 66, comp 1080 federal standard 8th material response and federal standard 66, comp 1080 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	211000.0 pounds per square inch tensile
federal standard 66, comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1080 federal standard 66, comp 1081 federal standard 66, comp 1084 federal standard 7th material response and federal standard 66, comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Material:
standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1076 federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1080 federal standard 9th material response and federal standard 66, comp 1080 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel,
Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1085 federal standard 8th material response and federal standard 66, comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	federal standard 66, comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal
Material: Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66
Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	comp 1090
Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1075 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 3rd material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material:
Material Specification: Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or
Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	steel comp 1085 or steel comp 1086 or steel comp 1090
response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard 4th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 6th material response and federal standard 6th comp 1085 federal standard 8th material response and federal standard 6th comp 1086 federal standard 9th material response and federal standard 6th comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material Specification:
4th material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080 federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1072 federal standard 2nd material
federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66 comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	response and federal standard 66, comp 1074 federal standard 3rd material response and federal standard 66, comp 1075 federal standard
comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	4th material response and federal standard 66, comp 1078 federal standard 5th material response and federal standard 66, comp 1080
standard 66, comp 1090 federal standard 10th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	federal standard 6th material response and federal standard 66, comp 1084 federal standard 7th material response and federal standard 66
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	comp 1085 federal standard 8th material response and federal standard 66, comp 1086 federal standard 9th material response and federal
N/a Unit Of Measure: Demilitarization: No Fiig:	standard 66, comp 1090 federal standard 10th material response
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
 Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
T252-g	Fiig:
	T252-g