Turnlock Fastener Stud Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-00-719-6428

Diameter:
0.281 inches
Turnlock Stud Head Style:
Fillister
Stud Assembly Style:
Stud assembly
Distance From Engaging Member To Largest Bearing Surface Of Head:
0.363 inches
Eyelet Outside Diameter:
Between 0.370 inches and 0.377 inches
Stud Diameter:
Between 0.193 inches and 0.218 inches
Eyelet Length:
0.285 inches
Material Accommodated Thickness:
0.062 inches
Drive Type:
Slotted
Material:
Material:
Material: Steel
Material: Steel Surface Treatment:
Material: Steel Surface Treatment: Cadmium and chromate
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification:
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Shelf Life:
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Shelf Life: N/a
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Shelf Life: N/a
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure:
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization:
Material: Steel Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No