NSN 5325-00-727-4763

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-00-727-4763

Cross Sectional Shape: Double oval Inside Diameter: 19.423 inches Casehardening Indicator: Not casehardened Outside Diameter: Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or ste sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material: Steel, sae 1070 or steel domp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materisponse and sae 1084 assn standard 2nd material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response Shelf Life:
Inside Diameter: 19.423 inches Casehardening Indicator: Not casehardened Outside Diameter: Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel comp 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th mater response and sae 1084 assn standard 5th material response and sae 1086 assn standard 7th material response and sae 1080 assn standard 8th material response
19.423 inches Casehardening Indicator: Not casehardened Outside Diameter: Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel comp 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1086 assn standard 7th material response and sae 1080 assn standard 8th material response
Casehardening Indicator: Not casehardened Outside Diameter: Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1086 assn standard 7th material response and sae 1080 assn standard 8th material response
Not casehardened Outside Diameter: Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or ste sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Outside Diameter: Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or ste sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materies propose and sae 1084 assn standard 5th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Between 20.173 inches and 20.373 inches Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or stee sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Major Thickness: Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or stee sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materies response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Between 0.080 inches and 0.088 inches Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materesponse and sae 1084 assn standard 5th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Ring Style: Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Spiral Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or stee sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Usage Design: Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materesponse and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Internal Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materesponse and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Material: Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Steel, sae 1070 or steel, sae 1074 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel sae 1090 Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Material: Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Steel, sae 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Steel comp 1090 Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Material Specification: Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th material response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
Sae 1074 assn standard 2nd material response and sae 1078 assn standard 3rd material response and sae 1080 assn standard 4th materesponse and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
response and sae 1084 assn standard 5th material response and sae 1085 assn standard 6th material response and sae 1086 assn standard 7th material response and sae 1090 assn standard 8th material response
standard 7th material response and sae 1090 assn standard 8th material response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T252-g