Retaining Ring - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5325-00-803-7317



Cross Sectional Shape:

Rectangular

Inside Diameter:

Between 1.199 inches and 1.224 inches

Casehardening Indicator:

Not casehardened

Major Thickness:

Between 0.048 inches and 0.052 inches

Ring Style:

External

Usage Design:

External

Material Hardness Rating:

Between 47.0 rockwell c and 52.0 rockwell c

Material:

Steel, federal standard 66, comp 1060 or steel, federal standard 66, comp 1061 or steel, federal standard 66, comp 1064 or steel, federal standard 66, comp 1065 or steel, federal standard 66, comp 1066 or steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090

Material:

Steel comp 1060 or steel comp 1561 or steel comp 1064 or steel comp 1065 or steel comp 1566 or steel, federal standard 66, comp 1069 or steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1086 or steel comp 1090

Material Specification:

Fed standard 66, comp 1060 federal standard 1st material response and federal standard 66, comp 1061 federal standard 2nd material response and federal standard 66, comp 1065 federal standard 4th material response and federal standard 66, comp 1066 federal standard 5th material response and federal standard 66, comp 1070 federal standard 7th material response and federal standard 66, comp 1072 federal standard 8th material response and federal standard 66, comp 1074 federal standard 9th material response and federal standard 66, comp 1072 federal standard 8th material response and federal standard 66, comp 1074 federal standard 9th material response and federal standard 66, comp 1075 federal standard 10th material response and federal standard 11th material response and federal standard 66, comp 1080 federal standard 12th material response and federal standard 66, comp 1084 federal standard 13th material response and federal standard 66, comp 1085 federal standard 14th material response and federal standard 66, comp 1086 federal standard 15th material response and federal standard 66, comp 1086 federal standard 15th material response and federal standard 66, comp 1080 federal standard 66, comp 1086 federal standard 15th material response and federal standard 66, comp 1080 federal standard 166, comp 1080 federal standard 15th material response and federal standard 66, comp 1080 federal standard 15th material response and federal standard 66, comp 1080 federal standard 15th material response and federal standard 66, co

Surface Treatment:

Cadmium and chromate or chromate zinc

Surface Treatment:

Cadmium, qq-p-416, type 2, class 3 or zinc plated, mil-c-81562, type 2 cl 3

Shelf Life:

N/a

- Unit Of Measure:
- --

Demilitarization:

No