

View Online at <https://aerobasegroup.com/nsn/5325-00-805-7610>

Cross Sectional Shape:

Double oval

Inside Diameter:

4.602 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 5.102 inches and 5.137 inches

Major Thickness:

Between 0.068 inches and 0.076 inches

Ring Style:

Special flat

Usage Design:

Internal

Strength Rating:

211000.0 pounds per square inch tensile

Material:

Steel, sae 1070 or steel, sae 1072 or steel, sae 1074 or steel, sae 1075 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel, sae 1090 or steel, aisi 1070 or steel, aisi 1074 or steel, aisi 1078 or steel, aisi 1080 or steel, aisi 1084 or steel, aisi 1085 or steel, aisi 1090 or steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 or steel, mil-s-46049

Material:

Steel comp 1065 or steel comp 1075 or steel comp 1085 or steel comp 1095

Surface Treatment:

Cadmium and chromate

Surface Treatment:

Cadmium and chromate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-g