NSN 5325-01-008-7626

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-008-7626

Ones Osethanal Obsers
Cross Sectional Shape:
Rectangular
Inside Diameter:
Between 1.083 inches and 1.108 inches
Casehardening Indicator:
Not casehardened
Major Thickness:
Between 0.048 inches and 0.054 inches
Ring Style:
External inverted lugs
Usage Design:
External
Material Hardness Rating:
Between 47.0 rockwell c and 52.0 rockwell c
Material:
Steel, carbon federal standard 66 1066 through 1090
Material:
Steel, carbon federal standard 66 1066 through 1090
Steel, carbon federal standard 66 1066 through 1090 Surface Treatment:
•
Surface Treatment:
Surface Treatment: Cadmium and chromate
Surface Treatment: Cadmium and chromate Surface Treatment:
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life:
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a Unit Of Measure:
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a Unit Of Measure:
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a Unit Of Measure: Demilitarization:
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a Unit Of Measure: Demilitarization: No
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Surface Treatment: Cadmium and chromate Surface Treatment: Cadmium, qq-p-416, type 2, class 3 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: