

View Online at <https://aerobasegroup.com/nsn/5325-01-036-2995>

**Cross Sectional Shape:**

Double oval

**Inside Diameter:**

Between 0.454 inches and 0.467 inches

**Casehardening Indicator:**

Not casehardened

**Outside Diameter:**

Between 0.544 inches and 0.557 inches

**Major Thickness:**

Between 0.025 inches and 0.029 inches

**Ring Style:**

Spiral

**Usage Design:**

External

**Strength Rating:**

221000.0 pounds per square inch tensile

**Material:**

Steel federal standard 66 sae 1070 or steel federal standard 66 sae 1074 or steel federal standard 66 sae 1075 or steel federal standard 66 sae 1078 or steel federal standard 66 sae 1080 or steel federal standard 66 sae 1084 or steel federal standard 66 sae 1085 or steel federal standard 66 sae 1086 or steel federal standard 66 sae 1090 or steel mil-s-46049

**Material:**

Steel federal standard 66 sae 1070 or steel federal standard 66 sae 1074 or steel federal standard 66 sae 1075 or steel federal standard 66 sae 1078 or steel federal standard 66 sae 1080 or steel federal standard 66 sae 1084 or steel federal standard 66 sae 1085 or steel federal standard 66 sae 1086 or steel federal standard 66 sae 1090 or steel mil-s-46049

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment:**

Cadmium, qq-p-416, type 2, class 2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-g