

View Online at <https://aerobasegroup.com/nsn/5325-01-036-2995>

Cross Sectional Shape:

Double oval

Inside Diameter:

Between 0.454 inches and 0.467 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 0.544 inches and 0.557 inches

Major Thickness:

Between 0.025 inches and 0.029 inches

Ring Style:

Spiral

Usage Design:

External

Strength Rating:

221000.0 pounds per square inch tensile

Material:

Steel federal standard 66 sae 1070 or steel federal standard 66 sae 1074 or steel federal standard 66 sae 1075 or steel federal standard 66 sae 1078 or steel federal standard 66 sae 1080 or steel federal standard 66 sae 1084 or steel federal standard 66 sae 1085 or steel federal standard 66 sae 1086 or steel federal standard 66 sae 1090 or steel mil-s-46049

Material:

Steel federal standard 66 sae 1070 or steel federal standard 66 sae 1074 or steel federal standard 66 sae 1075 or steel federal standard 66 sae 1078 or steel federal standard 66 sae 1080 or steel federal standard 66 sae 1084 or steel federal standard 66 sae 1085 or steel federal standard 66 sae 1086 or steel federal standard 66 sae 1090 or steel mil-s-46049

Surface Treatment:

Cadmium and chromate

Surface Treatment:

Cadmium, qq-p-416, type 2, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-g