NSN 5325-01-084-1616

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-084-1616

| Rectangular Casehardening Indicator: Not casehardening Indicator: Not casehardening Indicator: Not casehardening Indicator: Detween 2.185 inches and 2.245 inches Major Thicknoss: Between 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Usage Design: Internal Criticality Code Justification: Zzzy Material: Steel ams 5520 Seas standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated 181349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and lest conditions that are shown as "typical", "average", ", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: No Unit of Measure: | Cross Sectional Shape: |
|---|--|
| Casehardening Indicator: Not casehardened Outside Diameter: Between 2.185 inches and 2.245 inches Major Thickness: Between 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Steel comp 632 Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivate 181349-mill-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format: excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", 'average', '', etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: No Demilitarization: No Flig: | |
| Not casehardened Outside Diameter: Between 2.185 inches and 2.245 inches Major Thicknoss: Between 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Usage Design: Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel, ams 5520 Material: Steel comp 632 Material: Steel comp 632 Material response Surface Treatment: Passivate Special quality control testing Surface Treatment: Passivate 15 pecial quality control testing Surface Treatment: Passivated Tost Data Document: 81349-mill-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Sheft Life: N/a Unit Of Measure: — Demilitarization: No Flig: | |
| Outside Diameter: Between 2.185 inches and 2.245 inches Major Thickness: Between 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Usage Design: Internal Citicality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passavated Test Data Document: Bri349-mill-p23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Sheff Life: N/a Unit Of Measure: | |
| Between 2.185 inches and 2.245 inches Major Thickness: Between 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Usage Design: Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel, ams 5520 Material: Steel comp 622 Material Specification: Ams 6520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: B13439-mill-p23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.): Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Sheff Life: Na Unit Of Measure: — Domilitarization: No Filig: | |
| Major Thickness: Between 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Usage Design: Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel comp 632 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: — Demilitarization: No Filg: | |
| Beween 0.059 inches and 0.065 inches Ring Style: Internal Usage Design: Internal Usage Design: Internal Criticality Code Justification: 2zzy Material: Steel, ams 520 Material: Steel comp 632 Material Specification: Ams 520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: | |
| Ring Style: Internal Usage Design: Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 sasn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivate Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: | |
| Internal Usage Design: Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Arns 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: No Unit Of Measure: Demilitarization: No Fig: | |
| Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: Vuit Of Measure: | |
| Internal Criticality Code Justification: Zzzy Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: Vuit Of Measure: | Usage Design: |
| Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mill-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig: | |
| Material: Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mill-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig: | Criticality Code Justification: |
| Steel, ams 5520 Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | |
| Material: Steel comp 632 Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Material: |
| Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig: | Steel, ams 5520 |
| Material Specification: Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Material: |
| Ams 5520 assn standard single material response Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Steel comp 632 |
| Surface Treatment: Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Material Specification: |
| Passivate Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig: | Ams 5520 assn standard single material response |
| Special Test Features: Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig: | Surface Treatment: |
| Special quality control testing Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig: | Passivate |
| Surface Treatment: Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: | Special Test Features: |
| Passivated Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Special quality control testing |
| Test Data Document: 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Surface Treatment: |
| 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Passivated |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Test Data Document: |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| Reference Number Differentiating Characteristics: As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| As differentiated by material which must conform to ships parts control center special quality control provisions Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Reference Number Differentiating Characteristics: |
| N/a Unit Of Measure: Demilitarization: No Fiig: | As differentiated by material which must conform to ships parts control center special quality control provisions |
| Unit Of Measure: Demilitarization: No Fiig: | Shelf Life: |
| Demilitarization: No Fiig: | N/a |
| Demilitarization: No Fiig: | Unit Of Measure: |
| No Fiig: | |
| Fiig: | Demilitarization: |
| | No |
| T252-g | Fiig: |
| | T252-g |