NSN 5325-01-132-3803

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-132-3803

| Cross Sectional Shape: |
|--|
| Rectangular |
| Inside Diameter: |
| Between 0.4955 inches and 0.5175 inches |
| Casehardening Indicator: |
| Not casehardened |
| Outside Diameter: |
| Between 0.5575 inches and 0.5675 inches |
| Major Thickness: |
| Between 0.095 inches and 0.105 inches |
| End Style: |
| 90 degree parallel |
| Ring Style: |
| Straight gap |
| Usage Design: |
| External or internal |
| Material Hardness Rating: |
| Between 34.0 rockwell c and 38.0 rockwell c |
| Material: |
| Steel, mil-t-6736 or steel, mil-s-6758, comp 4130 |
| Material: |
| Steel comp 4130 or steel comp 4130 |
| Material Specification: |
| Mil-t-6736 military specification 1st material response and mil-s-6758, comp 4130 military specification 2nd material response |
| Surface Treatment: |
| Cadmium and chromate |
| Surface Treatment Specification: |
| Qq-p-416, type 2 federal specification single treatment response |
| Surface Treatment: |
| Cadmium, qq-p-416, type 2 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| T252-g |
| Mil-std (military Standard): |
| Mil-t-6736 spec. |