

View Online at <https://aerobasegroup.com/nsn/5325-01-147-2491>

Cross Sectional Shape:

Double oval

Inside Diameter:

Between 2.574 inches and 2.604 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

3.080 inches

Major Thickness:

Between 0.090 inches and 0.093 inches

Ring Style:

Spiral

Usage Design:

External

Strength Rating:

211000.0 pounds per square inch tensile

Material:

Steel, federal standard 66, aisi/sae 1020 or steel, federal standard 66, aisi/sae 1025 or steel, federal standard 66, aisi/sae 1040 or steel, federal standard 66, aisi/sae 1060 or steel, mil-s-46049, comp 1074 or 1085

Material:

Steel comp 1020 or steel comp 1025 or steel comp 1040 or steel comp 1060 or steel, mil-s-46049, comp 1074 or 1085

Material Specification:

Fed standard 66 federal standard 1st material response or aisi 1020 assn standard single material response or sae 1020 assn standard single material response and federal standard 66 federal standard 2nd material response or aisi 1025 assn standard single material response or sae 1025 assn standard single material response and federal standard 66 federal standard 3rd material response or aisi 1040 assn standard single material response or sae 1040 assn standard single material response and federal standard 66 federal standard 4th material response or aisi 1060 assn standard single material response or sae 1060 assn standard single material response

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Surface Treatment:

Cadmium, qq-p-416, type 2, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-g