

View Online at <https://aerobasegroup.com/nsn/5325-01-162-9942>

**Cross Sectional Shape:**

Double oval

**Inside Diameter:**

Between 0.997 inches and 1.012 inches

**Casehardening Indicator:**

Not casehardened

**Outside Diameter:**

Between 1.147 inches and 1.162 inches

**Major Thickness:**

Between 0.035 inches and 0.039 inches

**Ring Style:**

Special flat

**Usage Design:**

Internal

**Material Hardness Rating:**

Between 71.0 rockwell a and 77.5 rockwell a

**Material:**

Steel, mil-s-46049, comp 1074 or steel, mil-s-46049, comp 1085 or steel, mil-s-46049, comp 1065 or steel, mil-s-46049, comp 1095

**Material:**

Steel comp 1074 or steel comp 1085 or steel, mil-s-46049, comp 1065 or steel, mil-s-46049, comp 1095

**Material Specification:**

Mil-s-46049, comp 1074 military specification 1st material response and mil-s-46049, comp 1085 military specification 2nd material response

**Surface Treatment:**

Phosphate zinc

**Surface Treatment Specification:**

Mil-p-16232, type z, class 2 military specification single treatment response

**Surface Treatment:**

Phosphate, mil-p-16232, type z, class 2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-g

**Mil-std (military Standard):**

Mil-s-46049 spec.