

View Online at <https://aerobasegroup.com/nsn/5325-01-162-9942>

Cross Sectional Shape:

Double oval

Inside Diameter:

Between 0.997 inches and 1.012 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 1.147 inches and 1.162 inches

Major Thickness:

Between 0.035 inches and 0.039 inches

Ring Style:

Special flat

Usage Design:

Internal

Material Hardness Rating:

Between 71.0 rockwell a and 77.5 rockwell a

Material:

Steel, mil-s-46049, comp 1074 or steel, mil-s-46049, comp 1085 or steel, mil-s-46049, comp 1065 or steel, mil-s-46049, comp 1095

Material:

Steel comp 1074 or steel comp 1085 or steel, mil-s-46049, comp 1065 or steel, mil-s-46049, comp 1095

Material Specification:

Mil-s-46049, comp 1074 military specification 1st material response and mil-s-46049, comp 1085 military specification 2nd material response

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Mil-p-16232, type z, class 2 military specification single treatment response

Surface Treatment:

Phosphate, mil-p-16232, type z, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-g

Mil-std (military Standard):

Mil-s-46049 spec.