## NSN 5325-01-174-6966

Retaining Ring - Page 1 of 1

T252-g



View Online at https://aerobasegroup.com/nsn/5325-01-174-6966

Cross Sectional Shape:
Rectangular
Inside Diameter:
0.569 inches
Casehardening Indicator:
Not casehardened
Major Thickness:
Between 0.033 inches and 0.037 inches
Ring Style:
Special
Usage Design:
External
Material Hardness Rating:
Between 65.5 rockwell superficial 30-n and 70.5 rockwell superficial 30-n
Material:
Steel, federal standard 66, comp 1066 and steel, federal standard 66, comp 1069 and steel, federal standard 66, comp 1070 and steel,
federal standard 66, comp 1072 and steel, federal standard 66, comp 1074 and steel, federal standard 66, comp 1075 and steel, federal
standard 66, comp 1078 and steel, federal standard 66, comp 1080 and steel, federal standard 66, comp 1084 and steel, federal
standard 66, comp 1086 and steel, federal standard 66, comp 1090
Material:
Steel comp 1566 and steel, federal standard 66, comp 1069 and steel comp 1070 and steel comp 1572 and steel comp 1074 and steel
comp 1075 and steel comp 1078 and steel comp 1080 and steel comp 1070 and steel comp 1086 and steel comp 1090
Material Specification:
Fed standard 66, comp 1066 federal standard 1st material response and federal standard 66, comp 1070 federal standard 3rd material
response and federal standard 66, comp 1072 federal standard 4th material response and federal standard 66, comp 1074 federal standard
5th material response and federal standard 66, comp 1075 federal standard 6th material response and federal standard 66, comp 1078
federal standard 7th material response and federal standard 66, comp 1080 federal standard 8th material response and federal standard 66,
comp 1084 federal standard 9th material response and federal standard 66, comp 1086 federal standard 10th material response and
federal standard 66, comp 1090 federal standard 11th material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2, class 3 federal specification single treatment response
Surface Treatment:
Cadmium, qq-p-416, type 2, class 3
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: