NSN 5325-01-179-0842

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-179-0842

Inside Diameter: 2.036 inches Casehardening Indicator: Not casehardened Outside Diameter: Between 2.352 inches and 2.377 inches Major Thickness: Between 0.029 inches and 0.033 inches Rring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, miles-6059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and miles-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: No Unit Of Measure: Unit Office: Unit	Cross Sectional Shape:
2.036 inches Casehardening Indicator: Not casehardened Outside Diameter: Between 2.352 inches and 2.377 inches Major Thickness: Between 0.029 inches and 0.033 inches Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: No Unit Of Measure:	Rectangular
Casehardening Indicator: Not casehardened Outside Diameter: Between 2,352 inches and 2,377 inches Major Thickness: Between 0,029 inches and 0,033 inches Riting Style: Special Usage Design: Internal Strength Rating: 200000, pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: Steel sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: No Unit Of Measure:	Inside Diameter:
Not casehardened Outside Diameter: Between 2.352 inches and 2.377 inches Major Thickness: Between 0.029 inches and 0.033 inches Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: Steel comp 302 or steel steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	2.036 inches
Outside Diameter: Between 2.352 inches and 2.377 inches Major Thickness: Between 0.029 inches and 0.033 inches Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mill-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: Steel comp 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure:	Casehardening Indicator:
Between 2.352 inches and 2.377 inches Major Thickness: Between 0.029 inches and 0.033 inches Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Not casehardened
Major Thickness: Between 0.029 inches and 0.033 inches Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: See 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure:	Outside Diameter:
Between 0.029 inches and 0.033 inches Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Filg:	Between 2.352 inches and 2.377 inches
Ring Style: Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Major Thickness:
Special Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Between 0.029 inches and 0.033 inches
Usage Design: Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig:	Ring Style:
Internal Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Special
Strength Rating: 200000.0 pounds per square inch tensile Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Usage Design:
Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Internal
Material: Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Strength Rating:
Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302 Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	200000.0 pounds per square inch tensile
Material: Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material:
Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Steel, sae 302 or steel, aisi 302 or steel, mil-s-5059, type 302 or steel, ams 5688 or steel, qq-s-766, class 302
Material Specification: Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material:
Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302 or steel comp 302
specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material Specification:
material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Sae 302 assn standard 1st material response and aisi 302 assn standard 2nd material response and mil-s-5059, type 302 military
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	specification 3rd material response and ams 5688 assn standard 4th material response and qq-s-766, class 302 federal specification 5th
N/a Unit Of Measure: Demilitarization: No Fiig:	material response
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
TOFO	Fiig:
1252-g	T252-g
Mil-std (military Standard):	Mil-std (military Standard):
Mil-s-5059 spec.	Mil-s-5059 spec.