

View Online at <https://aerobasegroup.com/nsn/5325-01-194-5803>

Cross Sectional Shape:

Beveled one inside corner

Inside Diameter:

Between 1.199 inches and 1.224 inches

Casehardening Indicator:

Not casehardened

Minor Thickness:

Between 0.038 inches and 0.040 inches

Major Thickness:

Between 0.048 inches and 0.052 inches

Ring Style:

External

Usage Design:

External

Material Hardness Rating:

Between 47.0 rockwell c and 52.0 rockwell c

Strength Rating:

250000.0 pounds per square inch tensile

Material:

Steel, sae 1060 or steel, sae 1064 or steel, sae 1065 or steel, sae 1066 or steel, sae 1069 or steel, sae 1070 or steel, sae 1072 or steel, sae 1074 or steel, sae 1075 or steel, sae 1078 or steel, sae 1080 or steel, sae 1084 or steel, sae 1085 or steel, sae 1086 or steel, sae 1090

Material:

Steel comp 1060 or steel comp 1064 or steel comp 1065 or steel comp 1566 or steel comp 1069 or steel, sae 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1084 or steel comp 1085 or steel comp 1086 or steel comp 1090

Surface Treatment:

Zinc /chromate, mil-c-81562, type 2, cl 3 or zinc w/chromate, astm b633, type 2

Surface Treatment:

Zinc /chromate, mil-c-81562, type 2, cl 3 or zinc w/chromate, astm b633, type 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-g