NSN 5325-01-194-9426

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-194-9426

| 00 |
|---|
| Cross Sectional Shape: |
| Round |
| Inside Diameter: |
| Between 0.555 inches and 0.585 inches |
| Casehardening Indicator: |
| Not casehardened |
| Outside Diameter: |
| Between 0.649 inches and 0.683 inches |
| End Style: |
| 90 degree parallel |
| Ring Style: |
| Straight gap |
| Material Diameter: |
| Between 0.047 inches and 0.049 inches |
| Usage Design: |
| Internal |
| Criticality Code Justification: |
| Feat |
| Special Features: |
| Per 417 scms landing gear lead engineering item is required to have a criticality code of y |
| Material: |
| Steel, qq-w-470 |
| Material: |
| Steel uns k08500 |
| Material Specification: |
| Qq-w-470 federal specification single material response |
| Surface Treatment: |
| Cadmium and chromate |
| Surface Treatment Specification: |
| Qq-p-416, type 2, class 1 federal specification single treatment response |
| Surface Treatment: |
| Cadmium, qq-p-416, type 2, class 1 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| T252-g |