

View Online at <https://aerobasegroup.com/nsn/5325-01-218-7325>

Cross Sectional Shape:

Double oval

Inside Diameter:

Between 1.377 inches and 1.438 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 1.567 inches and 1.628 inches

Major Thickness:

Between 0.041 inches and 0.045 inches

Ring Style:

Spiral

Usage Design:

Internal

Strength Rating:

200000.0 pounds per square inch tensile

Criticality Code Justification:

Feat

Special Features:

Item must comply with requirements of defense supply center philadelphia production standard no po00205nrp

Material:

Steel, mil-s-5059, type 302 or steel, ams 5519 or steel, qq-s-766, class 302

Material:

Steel comp 302 or steel comp 301 or steel comp 302

Material Specification:

Mil-s-5059, type 302 military specification 1st material response and ams 5519 assn standard 2nd material response and qq-s-766, class 302 federal specification 3rd material response

Special Test Features:

Special control testing

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-g

Mil-std (military Standard):

Mil-s-5059 spec.