

View Online at <https://aerobasegroup.com/nsn/5325-01-230-5278>

**Cross Sectional Shape:**

Beveled one inside corner

**Inside Diameter:**

Between 2.745 inches and 2.795 inches

**Casehardening Indicator:**

Not casehardened

**Minor Thickness:**

Between 0.069 inches and 0.073 inches

**Major Thickness:**

Between 0.090 inches and 0.096 inches

**Ring Style:**

External

**Usage Design:**

External

**Material Hardness Rating:**

Between 47.0 rockwell c and 52.0 rockwell c

**Material:**

Steel, federal standard 66, comp 1070 or steel, federal standard 66, comp 1074 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084 or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090

**Material:**

Steel comp 1070 or steel comp 1074 or steel comp 1078 or steel comp 1080 or steel comp 1070 or steel comp 1085 or steel comp 1086 or steel comp 1090

**Material Specification:**

Fed standard 66, comp 1070 federal standard 1st material response and federal standard 66, comp 1074 federal standard 2nd material response and federal standard 66, comp 1078 federal standard 3rd material response and federal standard 66, comp 1080 federal standard 4th material response and federal standard 66, comp 1084 federal standard 5th material response and federal standard 66, comp 1085 federal standard 6th material response and federal standard 66, comp 1086 federal standard 7th material response and federal standard 66, comp 1090 federal standard 8th material response

**Surface Treatment:**

Phosphate zinc

**Surface Treatment Specification:**

Dod-p-16232, type z, class 2 def stan/spec single treatment response

**Surface Treatment:**

Phosphate, dod-p-16232, type z, class 2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-g