

View Online at <https://aerobasegroup.com/nsn/5325-01-250-0737>

Cross Sectional Shape:

Rectangular

Inside Diameter:

Between 2.640 inches and 2.700 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 3.030 inches and 3.090 inches

Major Thickness:

Between 0.590 inches and 0.650 inches

End Style:

90 degree parallel

Ring Style:

Straight gap

Usage Design:

External

Material:

Aluminum alloy, ww-t-700/6, t6 or aluminum alloy, qq-a-225/8, alloy 6061, t6 or aluminum alloy, qq-a-200/8, alloy 6061, t6 or aluminum alloy, qq-a-250/11, t6

Material:

Aluminum alloy 6061 or aluminum alloy 6061 or aluminum alloy 6061 or aluminum alloy 6061

Material Specification:

Ww-t-700/6, t6 federal specification 1st material response and qq-a-225/8, alloy 6061, t6 federal specification 2nd material response and qq-a-200/8, alloy 6061, t6 federal specification 3rd material response and qq-a-250/11, t6 federal specification 4th material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, class 1 military specification single treatment response

Surface Treatment:

Anodized, mil-a-8625, type 2, class 1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-g

Mil-std (military Standard):

Mil-a-8625 spec.