## NSN 5325-01-252-8061

Retaining Ring - Page 1 of 1

Mil-s-5059 spec.



View Online at https://aerobasegroup.com/nsn/5325-01-252-8061

Cross Sectional Shape:
Rounded outside corners
Inside Diameter:
2.402 inches
Casehardening Indicator:
Not casehardened
Outside Diameter:
Between 2.706 inches and 2.731 inches
Major Thickness:
Between 0.029 inches and 0.033 inches
End Style:
Vertex center or above
Ring Style:
Special
Usage Design:
Internal
Strength Rating:
200000.0 pounds per square inch tensile
Material:
Steel, mil-s-5059, type 302 or steel, qq-s-766, class 302 or steel, ams 5519 or steel, federal standard 66, aisi 302/sae 30302
Material:
Steel comp 302 or steel comp 302 or steel comp 301 or steel comp 302
Material Specification:
Mil-s-5059, type 302 military specification 1st material response and qq-s-766, class 302 federal specification 2nd material response and
ams 5519 assn standard 3rd material response and federal standard 66 federal standard 4th material response or aisi 302 assn standard
single material response or sae 30302 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Surface Treatment:
Passivated, qq-p-35
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
T252-g
Mil-std (military Standard):