

View Online at <https://aerobasegroup.com/nsn/5325-01-266-5113>

Cross Sectional Shape:

Double oval

Inside Diameter:

Between 4.261 inches and 4.296 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 4.737 inches and 4.772 inches

Major Thickness:

Between 0.059 inches and 0.064 inches

Ring Style:

Special flat

Usage Design:

Internal

Material Hardness Rating:

Between 39.8 rockwell c and 48.5 rockwell c

Material:

Steel, federal standard 66, comp 302 or steel, mil-s-5059, type 302 or steel, ams 5519 or steel, qq-s-766, class 302

Material:

Steel comp 302 or steel comp 302 or steel comp 301 or steel comp 302

Material Specification:

Fed standard 66, comp 302 federal standard 1st material response and mil-s-5059, type 302 military specification 2nd material response and ams 5519 assn standard 3rd material response and qq-s-766, class 302 federal specification 4th material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Surface Treatment:

Passivated, qq-p-35

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-g

Mil-std (military Standard):

Mil-s-5059 spec.