## NSN 5325-01-356-2612

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-356-2612

Cross Sectional Shape:
Rectangular
Inside Diameter:
Between 0.179 inches and 0.185 inches
Casehardening Indicator:
Not casehardened
Major Thickness:
Between 0.023 inches and 0.027 inches
Ring Style:
E
Usage Design:
External
Material:
Steel, astm a682, grade 1060 or steel, astm a682, grade 1064 or steel, astm a682, grade 1065 or steel, astm a682, grade 1070 or steel, astm a682, grade 1074 or steel, astm a682, grade 1080 or steel, astm a682, grade 1085 or steel, astm a682, grade 1095
Material:
Steel comp 1060 or steel comp 1064 or steel comp 1065 or steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 1086 or steel comp 1095
Material Specification:
Astm a682, grade 1060 assn standard 1st material response and astm a682, grade 1064 assn standard 2nd material response and astm
a682, grade 1065 assn standard 3rd material response and astm a682, grade 1070 assn standard 4th material response and astm a682,
grade 1074 assn standard 5th material response and astm a682, grade 1080 assn standard 6th material response and astm a682, grade
1085 assn standard 7th material response and astm a682, grade 1086 assn standard 8th material response and astm a682, grade 1095
assn standard 9th material response
Surface Treatment:
Phosphate zinc
Surface Treatment:
Phosphate, dod-p-16232, type z, class 2
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
T252-g