

View Online at <https://aerobasegroup.com/nsn/5325-01-356-2612>

Cross Sectional Shape:

Rectangular

Inside Diameter:

Between 0.179 inches and 0.185 inches

Casehardening Indicator:

Not casehardened

Major Thickness:

Between 0.023 inches and 0.027 inches

Ring Style:

E

Usage Design:

External

Material:

Steel, astm a682, grade 1060 or steel, astm a682, grade 1064 or steel, astm a682, grade 1065 or steel, astm a682, grade 1070 or steel, astm a682, grade 1074 or steel, astm a682, grade 1080 or steel, astm a682, grade 1085 or steel, astm a682, grade 1086 or steel, astm a682, grade 1095

Material:

Steel comp 1060 or steel comp 1064 or steel comp 1065 or steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 1086 or steel comp 1095

Material Specification:

Astm a682, grade 1060 assn standard 1st material response and astm a682, grade 1064 assn standard 2nd material response and astm a682, grade 1065 assn standard 3rd material response and astm a682, grade 1070 assn standard 4th material response and astm a682, grade 1074 assn standard 5th material response and astm a682, grade 1080 assn standard 6th material response and astm a682, grade 1085 assn standard 7th material response and astm a682, grade 1086 assn standard 8th material response and astm a682, grade 1095 assn standard 9th material response

Surface Treatment:

Phosphate zinc

Surface Treatment:

Phosphate, dod-p-16232, type z, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-g