

View Online at <https://aerobasegroup.com/nsn/5325-01-357-9477>

**Center To Center Distance Between Mounting Holes:**

Between 0.705 inches and 0.709 inches

**Mounting Style:**

Plain w/mounting hole

**Distance Between Mounting Hole Centers:**

Between 0.495 inches and 0.505 inches

**Turnlock Receptacle Style:**

Receptacle

**Receptaclelength:**

1.033 inches

**Receptacle Height:**

0.430 inches

**Stud Protrusion Length:**

0.250 inches

**Receptacle Thread Size And Series/type Designator:**

0.190-32 unf

**Turnlock Mounting Hole Diameter:**

Between 0.098 inches and 0.103 inches

**Material:**

Iron alloy 660 retaineriron alloy 660 stud

**Material Specification:**

Ams 5525 assn standard single material response

**Precious Material And Location:**

Stud silver

**Precious Material:**

Silver

**Surface Treatment:**

Passivate barrepassivate retainersilver stud

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response barrelqq-p-35 federal specification single treatment response retainerams 2410 assn standard single treatment response stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A05400