NSN 5325-01-413-3332

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-413-3332
Cross Sectional Shape:
Rectangular
Inside Diameter:
Between 0.110 inches and 0.115 inches
Casehardening Indicator:
Not casehardened
Major Thickness:
Between 0.023 inches and 0.027 inches
Ring Style:
E
Usage Design:
External
Material Hardness Rating:
Between 66.5 rockwell superficial 30-n and 71.0 rockwell superficial 30-n
Material:
Steel, federal standard 66, comp 1060 or steel, federal standard 66, comp 1061 or steel, federal standard 66, comp 1064 or steel,
federal standard 66, comp 1065 or steel, federal standard 66, comp 1066 or steel, federal standard 66, comp 1069 or steel, federal
standard 66, comp 1070 or steel, federal standard 66, comp 1072 or steel, federal standard 66, comp 1074 or steel, federal standard 66,
comp 1075 or steel, federal standard 66, comp 1078 or steel, federal standard 66, comp 1080 or steel, federal standard 66, comp 1084
or steel, federal standard 66, comp 1085 or steel, federal standard 66, comp 1086 or steel, federal standard 66, comp 1090 or steel,
federal standard 66, comp 1095
Material:
Steel comp 1060 or steel comp 1561 or steel comp 1064 or steel comp 1065 or steel comp 1566 or steel, federal standard 66, comp 1069
or steel comp 1070 or steel comp 1572 or steel comp 1074 or steel comp 1075 or steel comp 1078 or steel comp 1080 or steel comp 1070
or steel comp 1085 or steel comp 1086 or steel comp 1090 or steel comp 1095
Material Specification:
Fed standard 66, comp 1060 federal standard 1st material response and federal standard 66, comp 1061 federal standard 2nd material
response and federal standard 66, comp 1064 federal standard 3rd material response and federal standard 66, comp 1065 federal standard
4th material response and federal standard 66, comp 1066 federal standard 5th material response and federal standard 66, comp 1070
federal standard 7th material response and federal standard 66, comp 1072 federal standard 8th material response and federal standard 66,
comp 1074 federal standard 9th material response and federal standard 66, comp 1075 federal standard 10th material response and
federal standard 66, comp 1078 federal standard 11th material response and federal standard 66, comp 1080 federal standard 12th
material response and federal standard 66, comp 1084 federal standard 13th material response and federal standard 66, comp 1085
federal standard 14th material response and federal standard 66, comp 1086 federal standard 15th material response and federal standard
66, comp 1090 federal standard 16th material response and federal standard 66, comp 1095 federal standard 17th material response
Surface Treatment:
Cadmium and chromate
Surface Treatment:
Cadmium, qq-p-416, type 2, class 3
Shelf Life:
N/a

No

Unit Of Measure:

Demilitarization: