

View Online at <https://aerobasegroup.com/nsn/5325-01-521-0702>

**Diameter:**

Between 0.373 inches and 0.380 inches

**Securing Device Type:**

Spring

**End Application:**

C130j fixed wing aircraft

**Turnlock Stud Head Style:**

Flat fillister

**Stud Assembly Style:**

Stud assembly

**Distance From Engaging Member To Largest Bearing Surface Of Head:**

0.440 inches

**Eyelet Outside Diameter:**

Between 0.373 inches and 0.380 inches

**Stud Diameter:**

Between 0.212 inches and 0.215 inches

**Eyelet Length:**

Between 0.130 inches and 0.150 inches

**Material Accommodated Thickness:**

Between 0.120 inches and 0.129 inches

**Drive Type:**

Slotted

**Stud Head Height:**

0.285 inches

**Product Name:**

Stud assemblies

**Special Features:**

Stud assembly consists of a stud and coil spring captive in a steel cup

**Material:**

Steel ejector spring

**Material Specification:**

Qq-w-470 federal specification single material response ejector spring

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A05400