

View Online at <https://aerobasegroup.com/nsn/5330-00-005-8546>

Cross Sectional Shape:

Metal

Hole Diameter:

Between 0.208 inches and 0.218 inches

Overall Length:

Between 2.040 inches and 2.080 inches

Overall Width:

Between 1.660 inches and 1.700 inches

Aperture Diameter:

Between 1.310 inches and 1.330 inches

Outside Corner Radius:

Between 0.260 inches and 0.280 inches

Center To Center Distance:

Between 0.040 inches and 0.050 inches

Center To Center Distance Between Bolt Holes Along Width:

1.140 inches

Center To Center Distance Between Bolt Holes Along Length:

1.520 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.260 inches and 0.280 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.260 inches and 0.280 inches

Cross-sectional Thickness:

0.018 inches

Gage Thickness:

Between 0.008 inches and 0.012 inches

Bolt Hole Quantity:

4

Special Features:

Single ridge parallel to outer edge at a distance of 0.040 in. Min and 0.050 in. Max, double ridge w/ diameter min 1.410 in. And maximum 1.430 in. Situated 0.040 in. Min and 0.050 in. Maximum from circumference of aperture

Material:

Stainless steel

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0