

View Online at <https://aerobasegroup.com/nsn/5330-00-143-6940>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

Between 0.140 inches and 0.160 inches

Overall Length:

Between 0.870 inches and 0.930 inches

Overall Width:

Between 0.870 inches and 0.930 inches

Aperture Diameter:

Between 0.550 inches and 0.570 inches

Outside Corner Radius:

Between 0.120 inches and 0.200 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 0.580 inches and 0.600 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 0.580 inches and 0.600 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.145 inches and 0.165 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.145 inches and 0.165 inches

Cross-sectional Thickness:

Between 0.046 inches and 0.078 inches

Bolt Hole Quantity:

4

Hardness Rating:

40.0 shore durometer a and 50.0 shore durometer a

Material:

Rubber butadiene-styrene class sbr

Material Specification:

Mil-r-900 military specification single material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-900 spec.