## NSN 5330-00-202-2879

Packing Retainer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-202-2879

Cross-sectional Shape: U Cross-sectional Height: Between 0.235 inches and 0.245 inches Center Hole Diameter: Between 0.940 inches and 0.942 inches Peripheral Diameter: Between 1.433 inches and 1.435 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 2nd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization:	
Cross-sectional Height: Between 0.235 inches and 0.245 inches  Center Hole Diameter: Between 0.940 inches and 0.942 inches  Peripheral Diameter: Between 1.433 inches and 1.435 inches  Angle: Between 90.0 degrees and 92.0 degrees  Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Between 0.235 inches and 0.245 inches  Center Hole Diameter:  Between 0.940 inches and 0.942 inches  Peripheral Diameter:  Between 1.433 inches and 1.435 inches  Angle:  Between 90.0 degrees and 92.0 degrees  Material:  Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3nd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Center Hole Diameter:  Between 0.940 inches and 0.942 inches  Peripheral Diameter:  Between 1.433 inches and 1.435 inches  Angle:  Between 90.0 degrees and 92.0 degrees  Material:  Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Between 0.940 inches and 0.942 inches  Peripheral Diameter:  Between 1.433 inches and 1.435 inches  Angle:  Between 90.0 degrees and 92.0 degrees  Material:  Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Peripheral Diameter:  Between 1.433 inches and 1.435 inches  Angle:  Between 90.0 degrees and 92.0 degrees  Material:  Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Between 1.433 inches and 1.435 inches  Angle: Between 90.0 degrees and 92.0 degrees  Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment: Anodize  Surface Treatment Specification: Qq-a-696 federal specification single treatment response  Shelf Life: N/a  Unit Of Measure:  Demilitarization:	
Angle: Between 90.0 degrees and 92.0 degrees  Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment: Anodize  Surface Treatment Specification: Qq-a-696 federal specification single treatment response  Shelf Life: N/a  Unit Of Measure:  Demilitarization:	
Between 90.0 degrees and 92.0 degrees  Material:  Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment: Anodize  Surface Treatment Specification: Qq-a-696 federal specification single treatment response  Shelf Life: N/a  Unit Of Measure:  Demilitarization:	
Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper  Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Material Specification:  Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 fed specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 federal specification 2nd material response or qq-a-225/8 federal specification 2nd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
specification 2nd material response or ww-t-789 federal specification 3rd material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization:	dera
Anodize  Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Surface Treatment Specification:  Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Qq-a-696 federal specification single treatment response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	
Shelf Life:  N/a Unit Of Measure: Demilitarization:	
N/a Unit Of Measure: Demilitarization:	
Unit Of Measure: Demilitarization:	
Demilitarization:	
No No	
Fiig:	
A032a0	