NSN 5330-00-232-8412

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-232-8412

| Cross Sectional Shape: |
|--|
| Metal and synthetic rubber |
| Hole Diameter: |
| Between 0.281 inches and 0.288 inches |
| Overall Length: |
| 2.704 inches |
| Overall Width: |
| 2.704 inches |
| Aperture Diameter: |
| 1.944 inches |
| Outside Corner Radius: |
| Between 0.350 inches and 0.410 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 1.944 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 1.944 inches |
| Cross-sectional Thickness: |
| Between 0.3663 inches and 0.3737 inches |
| Gage Ring Thickness: |
| Between 0.3265 inches and 0.3335 inches |
| Elongation Percentage: |
| 125 |
| Material: |
| Aluminum alloy 6061 and rubber fluorosilicone class fq |
| Material Specification: |
| Qq-a-250/11 federal specification 1st material response and mil-r-25988 military specification 2nd material response |
| Surface Treatment: |
| Anodize |
| Surface Treatment Specification: |
| Mil-a-8625 military specification single treatment response |
| Style Designator: |
| Non-circular |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| |
| A032a0 |

Mil-r-25988 spec.