## NSN 5330-00-248-0820

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-00-248-0820
Cross Sectional Shape:
Solid single or composition
Hole Diameter:
Between 0.271 inches and 0.291 inches
Overall Length:
Between 17.220 inches and 17.280 inches
Overall Width:
Between 6.470 inches and 6.530 inches
Inside Corner Radius:
0.060 inches
Outside Corner Radius:
0.720 inches
Aperture Width:
Between 5.220 inches and 5.280 inches
Aperture Length:
Between 16.100 inches and 16.160 inches
Center To Center Distance Between Bolt Holes Along Length:
5.000 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.440 in also
0.440 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Outside Edge To Bolt Hole Center Distance Along Length:
Outside Edge To Bolt Hole Center Distance Along Length: 1.125 inches
Outside Edge To Bolt Hole Center Distance Along Length: 1.125 inches Cross-sectional Thickness:
Outside Edge To Bolt Hole Center Distance Along Length: 1.125 inches Cross-sectional Thickness: Between 0.115 inches and 0.135 inches
Outside Edge To Bolt Hole Center Distance Along Length: 1.125 inches Cross-sectional Thickness: Between 0.115 inches and 0.135 inches Bolt Hole Quantity:
Outside Edge To Bolt Hole Center Distance Along Length: 1.125 inches Cross-sectional Thickness: Between 0.115 inches and 0.135 inches Bolt Hole Quantity: 8
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:  25.0 shore durometer a and 35.0 shore durometer a
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:  25.0 shore durometer a and 35.0 shore durometer a  Material:
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:  25.0 shore durometer a and 35.0 shore durometer a  Material:  Rubber chloroprene class cr
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:  25.0 shore durometer a and 35.0 shore durometer a  Material:  Rubber chloroprene class cr  Material Specification:
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:  25.0 shore durometer a and 35.0 shore durometer a  Material:  Rubber chloroprene class cr  Material Specification:  Mil-r-6855 cl 2 gr 30 military specification single material response
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness: Between 0.115 inches and 0.135 inches  Bolt Hole Quantity: 8  Hardness Rating: 25.0 shore durometer a and 35.0 shore durometer a  Material: Rubber chloroprene class cr  Material Specification: Mil-r-6855 cl 2 gr 30 military specification single material response  Style Designator:
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness: Between 0.115 inches and 0.135 inches  Bolt Hole Quantity: 8  Hardness Rating: 25.0 shore durometer a and 35.0 shore durometer a  Material: Rubber chloroprene class cr  Material Specification:  Mil-r-6855 cl 2 gr 30 military specification single material response  Style Designator: Non-circular
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness:  Between 0.115 inches and 0.135 inches  Bolt Hole Quantity:  8  Hardness Rating:  25.0 shore durometer a and 35.0 shore durometer a  Material:  Rubber chloroprene class cr  Material Specification:  Mil-r-6855 cl 2 gr 30 military specification single material response  Style Designator:  Non-circular  Shelf Life:
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness: Between 0.115 inches and 0.135 inches  Bolt Hole Quantity: 8  Hardness Rating: 25.0 shore durometer a and 35.0 shore durometer a  Material: Rubber chloroprene class cr  Material Specification: Mil-r-6855 cl 2 gr 30 military specification single material response  Style Designator: Non-circular  Shelf Life: N/a
Outside Edge To Bolt Hole Center Distance Along Length:  1.125 inches  Cross-sectional Thickness: Between 0.115 inches and 0.135 inches  Bolt Hole Quantity: 8  Hardness Rating: 25.0 shore durometer a and 35.0 shore durometer a  Material: Rubber chloroprene class cr  Material Specification: Mil-r-6855 cl 2 gr 30 military specification single material response  Style Designator: Non-circular  Shelf Life: N/a

Fiig:

A032a0

## NSN 5330-00-248-0820

Gasket - Page 2 of 2



Mil-std (military Standard):

Mil-r-6855 spec.