NSN 5330-00-285-7305

Packing Retainer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-285-7305

U Cross-sectional Height: Between 0.360 inches and 0.370 inches Center Hole Diameter: Between 3.503 inches and 3.507 inches Peripheral Diameter: Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification:	Cross Sectional Shape:
Cross-sectional Height: Between 0.360 inches and 0.370 inches Center Hole Diameter: Between 3.503 inches and 3.507 inches Peripheral Diameter: Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Between 0.360 inches and 0.370 inches Center Hole Diameter: Between 3.503 inches and 3.507 inches Peripheral Diameter: Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Center Hole Diameter: Between 3.503 inches and 3.507 inches Peripheral Diameter: Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Between 3.503 inches and 3.507 inches Peripheral Diameter: Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Peripheral Diameter: Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Between 4.243 inches and 4.247 inches Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Angle: Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Peripheral Diameter:
Between 90.0 degrees and 92.0 degrees Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Between 4.243 inches and 4.247 inches
Material: Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Angle:
Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Between 90.0 degrees and 92.0 degrees
Material Specification: Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 feder specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Material:
Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 federal specification 2nd material response or qq-a-225/8 federal specification 2nd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Aluminum or aluminum alloy 6061 or aluminum alloy 6062 or copper
specification 2nd material response or ww-t-789 federal specification 3rd material response Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Material Specification:
Surface Treatment: Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Qq-a-353 federal specification 1st material response or ww-t-789 federal specification 2nd material response or qq-a-225/8 federal
Anodize Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	specification 2nd material response or ww-t-789 federal specification 3rd material response
Surface Treatment Specification: Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Surface Treatment:
Qq-a-696 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No	Anodize
Shelf Life: N/a Unit Of Measure: Demilitarization: No	Surface Treatment Specification:
N/a Unit Of Measure: Demilitarization: No	Qq-a-696 federal specification single treatment response
Unit Of Measure: Demilitarization: No	Shelf Life:
Demilitarization: No	N/a
No	Unit Of Measure:
No	
	Demilitarization:
Fiig:	No
	Fiig:
A032a0	A032a0