

View Online at <https://aerobasegroup.com/nsn/5330-00-298-6030>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

Between 0.344 inches and 0.406 inches

Overall Length:

Between 6.969 inches and 7.031 inches

Overall Width:

Between 5.844 inches and 5.906 inches

Aperture Width:

Between 4.469 inches and 4.531 inches

Aperture Length:

Between 5.594 inches and 5.656 inches

Outside Corner Bevel Length Along Width:

Between 0.157 inches and 0.219 inches

Outside Corner Bevel Length Along Length:

Between 0.157 inches and 0.219 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 3.115 inches and 3.135 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 3.740 inches and 3.760 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.344 inches and 0.406 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.344 inches and 0.406 inches

Cross-sectional Thickness:

Between 0.052 inches and 0.072 inches

Bolt Hole Quantity:

8

Hardness Rating:

45.0 shore durometer a and 55.0 shore durometer a

Special Features:

Two 0.250 in. Diameter locator holes

Material:

Rubber chloroprene class cr

Material Specification:

Mil-g-1149, type 1 military specification single material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0

Mil-std (military Standard):

Mil-g-1149 spec.