NSN 5330-00-363-8997

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-363-8997

Cross Sectional Shape:
Solid single or composition
Hole Diameter:
0.438 inches
Overall Length:
4.375 inches
Overall Width:
3.188 inches
Inside Corner Radius:
0.188 inches
Outside Corner Radius:
0.500 inches
Aperture Width:
1.750 inches
Aperture Length:
2.188 inches
Center To Center Distance Between Bolt Holes Along Width:
2.188 inches
Center To Center Distance Between Bolt Holes Along Length:
3.375 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.500 inches
0.500 inches Outside Edge To Bolt Hole Center Distance Along Length:
Outside Edge To Bolt Hole Center Distance Along Length:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life: N/a
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life: N/a
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life: N/a Unit Of Measure:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life: N/a Unit Of Measure: Demilitarization:
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life: N/a Unit Of Measure: Demilitarization: No
Outside Edge To Bolt Hole Center Distance Along Length: 0.500 inches Cross-sectional Thickness: 0.031 inches Material: Rubber synthetic and asbestos Material Specification: Mil-g-12803, +1151a military specification all material responses Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: