

View Online at <https://aerobasegroup.com/nsn/5330-00-413-5276>

**Cross Sectional Shape:**

Rectangular

**Fabrication Method:**

Solid

**Nonmetallic Hardness Rating:**

40.0 shore durometer a and 50.0 shore durometer a

**Min. Tensile Strength (psi):**

1000 pounds per square inch

**Temperature Rating:**

-20.0 degrees fahrenheit and 130.0 degrees fahrenheit

**Length:**

18.100 inches

**Surface Condition:**

Smooth

**Cross-sectional Height:**

0.180 inches

**Cross-sectional Width:**

0.031 inches

**Environmental Protection:**

Air and water resistant

**Material:**

Rubber, mil-r-900

**Material:**

Rubber butadiene-styrene class sbr

**Material Specification:**

Mil-r-900 military specification single material response

**Special Test Features:**

Special quality control testing

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Reference Number Differentiating Characteristics:**

As differentiated by packaging which must conform to ships parts control center special quality control provisions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A26800

**Mil-std (military Standard):**

Mil-r-900 spec.