NSN 5330-00-414-3175

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-414-3175
Cross Sectional Shape:
Solid single or composition
Hole Diameter:
0.112 inches
Overall Length:
1.060 inches
Tempurature Rating:
-94.0 degrees fahrenheit and 400.0 degrees fahrenheit
Overall Width:
1.060 inches
Aperture Diameter:
Between 0.628 inches and 0.638 inches
Outside Corner Radius:
0.171 inches
Center To Center Distance Between Bolt Holes Along Width:
0.719 inches
Center To Center Distance Between Bolt Holes Along Length:
0.719 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.171 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Outside Edge To Bolt Hole Center Distance Along Length: 0.171 inches
0.171 inches
0.171 inches Cross-sectional Thickness:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification: Zz-r-765 cl 3b, gr 50 federal specification single material response
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification: Zz-r-765 cl 3b, gr 50 federal specification single material response Style Designator:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification: Zz-r-765 cl 3b, gr 50 federal specification single material response Style Designator: Non-circular
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification: Zz-r-765 cl 3b, gr 50 federal specification single material response Style Designator: Non-circular Shelf Life:
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification: Zz-r-765 cl 3b, gr 50 federal specification single material response Style Designator: Non-circular Shelf Life: N/a
0.171 inches Cross-sectional Thickness: Between 0.044 inches and 0.076 inches Bolt Hole Quantity: 4 Hardness Rating: 45.0 shore durometer a and 55.0 shore durometer a Material: Rubber silicone class q Material Specification: Zz-r-765 cl 3b, gr 50 federal specification single material response Style Designator: Non-circular Shelf Life: N/a

Fiig:

A032a0